The Student Asthma/Allergy Action Plan has some important updates:

- ⇒ There have been some updates to the language in the interest of health literacy as our understanding and knowledge continues to grow.
- ⇒ Medications have been updated to reflect what is currently on the market.
- ⇒ There is a **new** check box and line for health care providers to check which instructs administration of epinephrine immediately upon ingestion of a known allergen.
- ⇒ The check box stating that you have reviewed the use of medications in order for a student to self-manage at school MUST NOW BE CHECKED.

The Student Asthma/Allergy Action Plan has two pages:

- Page 1 is for the physician to complete and sign.
 Health Care Providers—please give your patients <u>BOTH pages!</u>
- Page 2 is for the parent/caregiver to complete and sign.
- This action plan is only valid for students in K-12 grades. If they are younger or older, please use a different action plan.

EMPHASIZE THE FOLLOWING TO YOUR FAMILIES AND PATIENTS!

In order for the school to have all the information needed, <u>both</u> pages should be completed and presented to the school, <u>along</u> with their prescribed medications.

Student Asthma/Allergy Action Plan

(This Page To Be Completed By Health Care Provider)

Student Name:		Date Of Birth: / / (MONTH) (DAY) (YEAR)							
	Exercise Pre-Treatment: Administer inhaler (2 inhalations) 15-30 minutes prior to exercise. (e.g., PE, recess, etc).								
	Albuterol HFA inhaler (Proventil, Ventolin, ProAir) Levalbuterol (Xopenex HFA)	Use inhaler with valved holding chamber							
	Pirbuterol inhaler (Maxair)	□ Other:							
	<u>Asthma Treatment</u>	Anaphylaxis Treatment							
Give quick relief medication when student has asthma symptoms, such as coughing, wheezing or tight chest.		Give epinephrine when student has allergy symptoms, such as hives, hard to breathe (chest or neck "sucking in"),							
	Albuterol HFA (Proventil, Ventolin, ProAir) 2 inhalations Levalbuterol (Xopenex HFA) 2 inhalations	lips or fingernails turning blue, or trouble talking (shortness of breath).							
	Pirbuterol (Maxair) 2 inhalations	□ EpiPen® 0.3 mg □ EpiPen® Jr. 0.15 mg							
	Use inhaler with valved holding chamber	□ Auvi-Q [™] 0.3 mg □ Auvi-Q [™] 0.15 mg							
	Albuterol inhaled by nebulizer (Proventil, Ventolin, AccuNeb)	□ Adrenaclick® 0.3 mg □ Adrenaclick® 0.15 mg							
	□ .63 mg/3 mL □ 1.25 mg/3 mL □ 2.5 mg/3 ml	May carry & self-administer epinephrine auto-injector							
	Levalbuterol inhaled by nebulizer (Xopenex)	 Use epinephrine auto-injector immediately upon exposure to known allergen If symptoms do not improve or they return, epinephrine can be repeated after 5 minutes or more 							
	□ 0.31 mg/3 mL □ 0.63 mg/3 mL □ 1.25 mg/3 mL May carry & self-administer inhaler (MDI)								
	Other:	Lay person flat on back and raise legs. If vomiting or difficulty breathing, let them lie on their side.							
	Closely Watch the Student after Giving Quick Relief Medication	CALL 911 <u>After</u> Giving Epinephrine & Closely Watch the Student							
lf,	after 10 minutes:	 Notify parent/guardian immediately <u>Even</u> if student gets better, the student should be watched for more symptoms of anaphylaxis in an emergency room <u>If student does not get better or continues to get</u> worse, use the Nebraska Schools' <u>Emergency Response to Life-Threatening</u> Asthma or Systemic Allergic Reactions (Anaphylaxis) Protocol 							
	 Symptoms are better, student may return to classroom <u>after</u> notifying parent/guardian Symptoms are not better, give the treatment again and notify parent/guardian right away <u>If student continues to get worse, CALL 911 and use the Nebraska Schools' Emergency</u> 								
	Response to Life-Threatening Asthma or Systemic Allergic Reactions (Anaphylaxis) Protocol								

This student has a medical history of asthma and/or anaphylaxis and the use of the above-listed medication(s) has been reviewed by the HCP. If medications are self-administered, the school staff <u>must</u> be notified.

Additional information: (i.e. asthma triggers, allergens)						
Heath Care Provider name: (please print)	Phone:					
Health Care Provider signature:	Date:					
Parent signature:	Date:					
Reviewed by school nurse/nurse designee:	Date:					

Student Asthma/Allergy Action Plan

(This Page To Be Completed By Parent/Guardian)

Student Name	:	Age:		Grade:						
School:		Homeroom Teacher:								
Parent/Guardian:)		()				
Parent//Guardian:						()				
	ntact:		Phone()		()				
Known Asthma Triggers: Please check the boxes to identify what can cause an asthma episode for your student.										
□ Pollens □ Animals/dander □)ust/dust esticides	mites	 Mold, Grass Food 					
Known Allergy/Intolerance: Please check those which apply and describe what happens when your child eats or comes into contact with the allergen										
Tree Nuts Fish/shellfish Eggs Soy Wheat Milk Medication Latex Insect stings Other <u>Notice:</u> If your ch your student need	Image: solution of the set of the s	such as an Ep	biPen®) fo	r an allergy, you mi d to complete the f	ust provid	e epinephrine at school. If				
Daily Medicine Medicir	ren at school.	When	does it need to given							
I understand that all medicines to be given at school must be provided by the parent/guardian.										
Parent signatu										

Reviewed by school nurse/nurse designee: